

GRIPLINE[®]



GRIPLINE-D TUB 65 WHITE, 4 GRIPS, L-SCALE

Please visit our website for technical information: www.berdal.com/en/downloads

MEMBER OF THE BERDAL FAMILY

Ref: #10410_90-2024

GRIPLINE®

Berdal produces Gripline buckets, tubs and rectangular tubs for intensive use. All products are manufactured in Europe and developed for use in construction.

The Original and Durable series are made from 100% recycled and certified plastic, recovered from household waste. This allows Gripline to combine reliability in use with a reduced environmental impact, without compromising on quality.

Within the Gripline range, several series can be distinguished, each with its own application:

- Original & Durable – products made from 100% recycled plastic
- Gripline-C – heavy-duty, certified products for intensive use, with a 5-year warranty
- Gripline-F – flexible and versatile Flextubs
- Gripline-X – reinforced specials for specific applications



TECHNICAL DATA:

Content water:	64,2 L	Color	White
Content cement:	71.0 L *	Material	PPCO
Weight:	1690 Gram	Diameter Top (A)	58,5 cm
Dimensional tolerance:	± 5 %	Height (B)	32,7 cm
Volume/weight tolerance:	± 5 %	Diameter Bottom (C)	47 cm
Itemcode	KUI00650-4102	Pallet quantity	72
EAN	8713331003344		



Please visit our website for technical information: www.berdal.com/en/downloads

MEMBER OF THE BERDAL FAMILY



PALLET CONFIGURATION (800X1200MM)

Pallet quantity:	72 Pcs.
Layers per pallet:	1
Stacks per layer:	2
Total per stack:	36
Pallet height:	123 cm

Custom pallet configurations are negotiable

All information is provided for guidance only and has been compiled with care. We reserve the right to make changes to product specifications and images, and to correct any typographical errors.

No rights may be derived from this information; please refer to our Terms and Conditions.

** The cement content in litres is based on Q-mix's official mixing instructions, according to which 15 litres of liquid cement are produced from each 25 kg bag mixed with 3,1 litres of water.*

The processing factor (kg/l) is 1,67.

SUSTAINABLE QUALITY MADE IN EUROPE



Scan the QR code for
more information

Please visit our website for technical information: www.berdal.com/en/downloads

MEMBER OF THE BERDAL FAMILY